

training tables

 3 Days and  15 Lead Time


Product Specifications

- 1" thick tops only, 2mm PVC edge-banding, pilot holes for post leg brackets only and metal inserts for ganging brackets.
- Maverick Series has radiused corners, Arroyo Series has square corners.
- Available in 20 standard colors, see color chart for upcharge information. Two colors may be specified at no charge.
- No up-charge for contrasting color edge-banding.
- Legs and ganging hardware are ordered separately from the tops and are not factory installed.
- All training and height adjustable tables can be assembled upon request at no charge.
- Tops are predrill for leg/base where specified on leg/base style items.

How to Order Training Tables

WORKSURFACE UNITS

1. Product number: **MM TR 24 60**




Series Name: Maverick with radius corners is MM, Arroyo with square corners is AR.

2. Specify worksurface color - Choose from 20 standard colors.
3. Specify edge-banding color - Matching top color is standard.
4. Specify other accessories and upgrades. Grommet options on page 127. See grommet locations below.
5. Legs are ordered separately. Specify from available legs on pages 123-126.
6. Ganging and connecting hardware is ordered separately. See page 127.

MAVERICK SERIES (MM)


EDGE PROFILE-RADIUS



2MM FLAT PVC EDGE BANDING ON TOPS

ARROYO SERIES (AR)

EDGE PROFILE-SQUARE



2MM FLAT PVC EDGE BANDING ON TOPS


GROMMET OPTIONS

BLACK AND SILVER




TRAINING TABLE TOP STANDARD GROMMET LOCATIONS (Unless otherwise specified)


Note: While sitting at unit, grommet locations are named from left to right. Line drawings shown below are standard locations.



Rectangular
24" or 30"





Curved
24" or 30"




Half-Round
48" or 60"

Training Worksurfaces



Maverick



Arroyo

Rectangular Training Table Top, 20"D Tops (MM radius edges, AR square edges)

| Model# | Depth | Width | Height | Weight | Cube | MM Price | AR Price |
|-----------|-------|-------|--------|--------|------|----------|----------|
| __TR2036 | 20" | 36" | 1" | 23 | 1 | \$263 | \$234 |
| __TR2042 | 20" | 42" | 1" | 27 | 1 | \$268 | \$240 |
| __TR2048 | 20" | 48" | 1" | 30 | 1 | \$281 | \$254 |
| __TR2054 | 20" | 54" | 1" | 34 | 1 | \$297 | \$269 |
| __TR2060 | 20" | 60" | 1" | 38 | 1 | \$340 | \$306 |
| __TR2066 | 20" | 66" | 1" | 42 | 1 | \$360 | \$326 |
| __TR2072* | 20" | 72" | 1" | 45 | 1 | \$389 | \$354 |
| __TR2078* | 20" | 78" | 1" | 49 | 1 | \$446 | \$403 |
| __TR2084* | 20" | 84" | 1" | 53 | 1 | \$488 | \$439 |


Note: When ordering, insert MM for Maverick Series or AR for Arroyo Series. Wood grain runs the width direction.

*Tops: 72"W, 78"W & 84"W requires 5 post legs.

Stabilizer Bar: 2 are included with 60"W, 66"W & 72"W tops, when ordered with post legs.

Max weight 50 lbs.

Pre Drill Holes: Tops are pre-drill for 4 post legs MMLEGTRB – MMLEGTRSC.

Ganging Hardware: Is recommended when placing tops side by side.  Lead Time.

Rectangular Training Table Top, 24"D Tops (MM radius edges, AR square edges)

| Model# | Depth | Width | Height | Weight | Cube | MM Price | AR Price |
|-----------|-------|-------|--------|--------|------|----------|----------|
| __TR2436 | 24" | 36" | 1" | 30 | 1 | \$354 | \$319 |
| __TR2442 | 24" | 42" | 1" | 32 | 1 | \$366 | \$331 |
| __TR2448 | 24" | 48" | 1" | 36 | 1 | \$382 | \$349 |
| __TR2454 | 24" | 54" | 1" | 40 | 1 | \$397 | \$360 |
| __TR2460 | 24" | 60" | 1" | 45 | 1 | \$410 | \$366 |
| __TR2466 | 24" | 66" | 1" | 50 | 1 | \$432 | \$389 |
| __TR2472* | 24" | 72" | 1" | 54 | 1 | \$446 | \$403 |
| __TR2478* | 24" | 78" | 1" | 59 | 1 | \$488 | \$439 |
| __TR2484* | 24" | 84" | 1" | 63 | 1 | \$517 | \$466 |


Note: When ordering, insert MM for Maverick Series or AR for Arroyo Series. Wood grain runs the width direction.


*Tops: 72"W, 78"W & 84"W requires 5 post legs.

Stabilizer Bar: 2 are included with 60"W, 66"W & 72"W tops, when ordered with post legs.


Max weight 50 lbs.

Pre Drill Holes: Tops are pre-drill for 4 post legs MMLEGTRB – MMLEGTRSC.

Ganging Hardware: Is recommended when placing tops side by side.  Lead Time.



Maverick



Arroyo

Rectangular Training Table Top, 30"D Tops (MM radius edges, AR square edges)

| Model# | Depth | Width | Height | Weight | Cube | MM Price | AR Price |
|-----------|-------|-------|--------|--------|------|----------|----------|
| __TR3048 | 30" | 48" | 1" | 45 | 1 | \$366 | \$331 |
| __TR3054 | 30" | 54" | 1" | 51 | 1 | \$375 | \$340 |
| __TR3060 | 30" | 60" | 1" | 57 | 1 | \$411 | \$366 |
| __TR3066 | 30" | 66" | 1" | 62 | 1 | \$454 | \$411 |
| __TR3072* | 30" | 72" | 1" | 68 | 2 | \$495 | \$446 |
| __TR3078* | 30" | 78" | 1" | 74 | 2 | \$564 | \$508 |
| __TR3084* | 30" | 84" | 1" | 79 | 2 | \$624 | \$565 |


Note: When ordering, insert MM for Maverick Series or AR for Arroyo Series. Wood grain runs the width direction.


*Tops: 72"W, 78"W & 84"W requires 5 post legs.

Stabilizer Bar: 2 are included with 60"W, 66"W & 72"W tops, when ordered with post legs.


Max weight 50 lbs.

Pre Drill Holes: Tops are pre-drill for 4 post legs MMLEGTRB – MMLEGTRSC.

Ganging Hardware: Is recommended when placing tops side by side.  Lead Time.




Maverick




Arroyo

training tables


Training Worksurfaces




Maverick (MM)
Radius Edges




Arroyo (AR)
Square Edges




Maverick




Arroyo




Maverick



Arroyo




Maverick




Arroyo



WG24 & WG30



Maverick



Arroyo


Rectangular Training Table Top, 36" D Tops (MM radius edges, AR square edges)

| Model# | Depth | Width | Height | Weight | Cube | MM Price | AR Price |
|-----------|-------|-------|--------|--------|------|----------|----------|
| __TR3660 | 36" | 60" | 1" | 68 | 1 | \$544 | \$495 |
| __TR3666 | 36" | 66" | 1" | 75 | 1 | \$588 | \$530 |
| __TR3672* | 36" | 72" | 1" | 81 | 2 | \$616 | \$559 |

Note: When ordering, insert MM for Maverick Series or AR for Arroyo Series. Wood grain runs the width direction.
*Top: 72"W requires 5 post legs.

Stabilizer Bar: 2 are included with 60"W, 66"W & 72"W tops, when ordered with post legs.
Max weight 50 lbs.

Pre Drill Holes: Tops are pre-drill for 4 post legs MMLEGTRB – MMLEGTRSC.


Ganging Hardware: Is recommended when placing tops side by side.  Lead Time.

Curved Training Table Top (Must be ganged with another top for stability)

| Model# | Depth | Width | Height | Weight | Cube | MM Price | AR Price |
|------------|-------|-------|--------|--------|------|----------|----------|
| __TRQ2460L | 24" | 60" | 1" | 27 | 1 | \$418 | \$377 |
| __TRQ2460R | 24" | 60" | 1" | 27 | 1 | \$418 | \$377 |
| __TRQ3060L | 30" | 60" | 1" | 33 | 2 | \$462 | \$418 |
| __TRQ3060R | 30" | 60" | 1" | 33 | 2 | \$462 | \$418 |

Note: When ordering, insert MM for Maverick Series or AR for Arroyo before model number.
On "L" units, from users' view, woodgrain direction is parallel with right edge and perpendicular with left edge.
On "R" units wood-grain is parallel with the left edge and perpendicular with the right edge.
If not ganged, order 5th leg for stability.

Pre Drill Holes: Tops are pre-drill for post legs MMLEGTRB – MMLEGTRSC.

Ganging Hardware: Is recommended when placing tops side by side.  Lead Time.


Half-Round Training Table Top (48" & 60" require four legs and two ganging plates)

| Model# | Depth | Width | Height | Weight | Cube | MM Price | AR Price |
|----------------|-------|-------|--------|--------|------|----------|----------|
| __TRWH1224 | 12" | 24" | 1" | 6 | 1 | \$209 | \$166 |
| __TRWH1224WG24 | 12" | 24" | 1" | 6 | 1 | \$209 | \$166 |
| __TRWH1530 | 15" | 30" | 1" | 10 | 1 | \$253 | \$210 |
| __TRWH1530WG30 | 15" | 30" | 1" | 10 | 1 | \$253 | \$210 |
| __TRWH2448 | 24" | 48" | 1" | 24 | 1 | \$527 | \$484 |
| __TRWH3060 | 30" | 60" | 1" | 37 | 1 | \$630 | \$484 |

Note: When ordering, insert MM for Maverick Series or AR for Arroyo before model number.
Woodgrain direction runs the depth to coordinate with woodgrain direction on rectangular worksurfaces.
12" & 15" deep require only 1 leg and 1 ganging plate.

12" & 15" deep (WG24 & WG30), the woodgrain runs the width to coordinate with the grain on 1 end of curved units.

Pre Drill Holes: Tops are pre-drill for post legs MMLEGTRB – MMLEGTRSC.


Ganging Hardware: Is recommended when placing tops side by side.  Lead Time.

Curved Corner Training Table Top (48" & 60" require four legs and two ganging plates)

| Model# | Depth | Width | Height | Weight | Cube | MM Price | AR Price |
|---------------|-------|---------|--------|--------|------|----------|----------|
| __TRCWS424224 | 24" | 42"/42" | 1" | 24 | 1 | \$543 | \$484 |
| __TRCWS424230 | 30" | 42"/42" | 1" | 24 | 1 | \$543 | \$484 |
| __TRCWS484824 | 24" | 48"/48" | 1" | 30 | 1 | \$631 | \$562 |
| __TRCWS484830 | 30" | 48"/48" | 1" | 30 | 1 | \$631 | \$631 |
| __TRCWS606024 | 24" | 60"/60" | 1" | 47 | 1 | \$790 | \$709 |
| __TRCWS606030 | 30" | 60"/60" | 1" | 47 | 1 | \$790 | \$709 |


Note: When ordering, insert MM for Maverick Series or AR for Arroyo before model number.

Pre Drill Holes: Tops are pre-drill for post legs MMLEGTRB – MMLEGTRSC.


Ganging Hardware: Is recommended when placing tops side by side.  Lead Time.

training tables


Training Worksurfaces 15 DAYS



Maverick (MM)
Radius Edges



Arroyo (AR)
Square Edges




Curved Computer Training Table Top 24"D Right Connection (MM Radius Edges, AR Square Edges)

| Model# | Depth | Width | Corner (c) | Height | Weight | Cube | MM Price | AR Price |
|---------------|----------|-------|------------|--------|--------|------|----------|----------|
| __CDQ60TOP 4R | 24"/ 24" | 60" | 36" | 1" | 68 | 2 | \$639 | \$570 |
| __CDQ66TOP 4R | 24"/ 24" | 66" | 36" | 1" | 68 | 2 | \$674 | \$604 |
| __CDQ72TOP 4R | 24"/ 24" | 72" | 36" | 1" | 79 | 2 | \$693 | \$625 |
| __CDQ72TOP 9R | 30"/ 24" | 72" | 42" | 1" | 79 | 2 | \$734 | \$665 |

Note: When ordering, Insert MM for Maverick Series or AR for Arroyo Series. Wood grain runs the width direction. Maverick series tops have three radius corners.
Predrill Holes: Tops are not predrilled. Must order with return top. Designed for Adjustable Height L-Unit Base only.
Grommet: Standard black grommet, location 7"x7" upgrade grommet to color silver at no charge.

15 LEAD TIME




Curved Computer Training Table Top 24"D Left Connection (MM Radius Edges, AR Square Edges)

| Model# | Depth | Width | Corner (c) | Height | Weight | Cube | MM Price | AR Price |
|---------------|----------|-------|------------|--------|--------|------|----------|----------|
| __CDQ60TOP 4L | 24"/ 24" | 60" | 36" | 1" | 68 | 2 | \$639 | \$570 |
| __CDQ66TOP 4L | 24"/ 24" | 66" | 36" | 1" | 68 | 2 | \$674 | \$604 |
| __CDQ72TOP 4L | 24"/ 24" | 72" | 36" | 1" | 79 | 2 | \$693 | \$625 |
| __CDQ72TOP 9L | 24"/ 30" | 72" | 42" | 1" | 79 | 2 | \$734 | \$665 |

Note: When ordering, Insert MM for Maverick Series or AR for Arroyo Series. Wood grain runs the width direction. Maverick series tops have three radius corners.
Predrill Holes: Tops are not predrilled. Must order with return top. Designed for Adjustable Height L-Unit Base only.
Grommet: Standard black grommet, location 7"x7" upgrade grommet to color silver at no charge.

15 LEAD TIME




Rectangular Training Return Top, 24"D Tops (MM Radius Edges, AR Square Edges)

| Model# | Depth | Width | Height | Weight | Cube | MM Price | AR Price |
|-----------|-------|-------|--------|--------|------|----------|----------|
| __TRT2436 | 24" | 36" | 1" | 30 | 1 | \$404 | \$368 |
| __TRT2442 | 24" | 42" | 1" | 32 | 1 | \$417 | \$382 |
| __TRT2448 | 24" | 48" | 1" | 36 | 1 | \$432 | \$398 |

Note: When ordering, Insert MM for Maverick Series or AR for Arroyo Series. Return top wood grain runs vertical direction. Maverick series tops have two radius edges.
Predrill Holes: Tops are not predrilled. Must order with computer table top. Designed for Adjustable Height L-UNIT Base only.

Connecting Hardware: 2 connecting brackets with wood screws are included.

15 LEAD TIME



Note: Line drawings shown in square corners (AR series)

training tables

Bases, for Training Table Tops

(Leg heights vary and cannot be combined)




Post Leg 2 3/8" diameter (Set of 4 legs) for Training Table Tops

| Model# | Description | Color | Weight | Cube | Height | Price |
|--------------|----------------------------|---------------|--------|------|-----------|-------|
| ☞ MMLEGTRB | 4 Posts w/ Leveler | Black | 14 | 1 | 27 13/16" | \$540 |
| ☞ MMLEGTRS | 4 Posts w/ Leveler | Brushed Steel | 14 | 1 | 27 13/16" | \$540 |
| ☞ MMLEGTRBC | 4 Posts w/ Locking Casters | Black | 14 | 1 | 27 15/16" | \$540 |
| ☞ MMLEGTRSC | 4 Posts w/ Locking Casters | Brushed Steel | 14 | 1 | 27 15/16" | \$540 |
| ☞ MMCULEG_ _ | 1 Individual Post Leg | | 14 | 1 | 27 15/16" | \$137 |

For individual post legs, add \$137/each. Specify complete model #MMCULEG_ _ (e.g. MMCULEGTRB)
 Individual post leg includes mounting screws.
 Legs are shipped un-installed and require minor assembly with woodscrews for each leg.
 Tops 72"W, 78"W & 84"W requires 5 post legs. Tops are pre-drilled for 4 post legs only.

☞ LEAD TIME

Flip Top Base with Frame Modesty, Locking Casters (1 complete leg)



| Model# | Depth | Width | Height | Fits Top Size | Color | Weight | Cube | Price |
|---------------|--------|---------|---------|---------------|----------|--------|------|-------|
| *MMLEGFFMB48T | 14/20" | 40 1/4" | 28 1/2" | 48" & 54"W | Titanium | 36 | 1 | \$657 |
| MMLEGFFMB48B | 14/20" | 40 1/4" | 28 1/2" | 48" & 54"W | Black | 36 | 1 | \$657 |
| MMLEGFFMB48W | 14/20" | 40 1/4" | 28 1/2" | 48" & 54"W | White | 36 | 1 | \$657 |
| *MMLEGFFMB60T | 14/20" | 52" | 28 1/2" | 60" & 66"W | Titanium | 40 | 1 | \$731 |
| MMLEGFFMB60B | 14/20" | 52" | 28 1/2" | 60" & 66"W | Black | 40 | 1 | \$731 |
| MMLEGFFMB60W | 14/20" | 52" | 28 1/2" | 60" & 66"W | White | 40 | 1 | \$731 |
| *MMLEGFFMB72T | 14/20" | 63 1/4" | 28 1/2" | 72" & 78"W | Titanium | 43 | 1 | \$854 |
| MMLEGFFMB72B | 14/20" | 63 1/4" | 28 1/2" | 72" & 78"W | Black | 43 | 1 | \$854 |
| MMLEGFFMB72W | 14/20" | 63 1/4" | 28 1/2" | 72" & 78"W | White | 43 | 1 | \$854 |

For rectangular tops 20"D & 24"D only, see page 120.


*Note: Color Titanium/Metal does not match other silver legs.

Bases ship unassembled unless otherwise specified. Tops are not pre-drill.

15 LEAD TIME

training tables

Bases, for Training Table Tops




Adjustable Height Electrical Base (Sit to stand, fits top sizes below)

| Model# | Base (D) | Base (W) | Height | Fits Top Size | Color | Weight | Cube | Price |
|--------------|----------|----------|-------------|---------------|--------|--------|------|---------|
| MMLEGAHE24S3 | 22" | 47"-72" | 23 1/2"-49" | 24"D-72"W | Silver | 66 | 1 | \$1,498 |
| MMLEGAHE24B3 | 22" | 47"-72" | 23 1/2"-49" | 24"D-72"W | Black | 66 | 1 | \$1,498 |
| MMLEGAHE24W3 | 22" | 47"-72" | 23 1/2"-49" | 24"D-72"W | White | 66 | 1 | \$1,498 |
| MMLEGAHE30S3 | 28" | 47"-72" | 23 1/2"-49" | 30"D-72"W | Silver | 66 | 1 | \$1,498 |
| MMLEGAHE30B3 | 28" | 47"-72" | 23 1/2"-49" | 30"D-72"W | Black | 66 | 1 | \$1,498 |
| MMLEGAHE30W3 | 28" | 47"-72" | 23 1/2"-49" | 30"D-72"W | White | 66 | 1 | \$1,498 |

Does not include top. **3 stage base.** Bases ship unassembled unless otherwise specified.

15 LEAD TIME

| | |
|------------------------------|------------------------------|
| Handset | Push Button/4 memory presets |
| Motor | Dual motor |
| Foot Length | 28" |
| Height range (excluding top) | 23.5" - 49" |
| Frame width | Width adjustable 48" - 72" |
| Worksurface widths | 48" - 72" |
| Worksurface depths | 24" & 30" |
| Max lifting capacity | 250lbs. |
| Base Weight | 66lbs. |
| Speed | 30mm/s |
| Warranty | 5 years |



Adjustable Height Electrical L-Unit Base (Sit to stand, fits top sizes below)

| Model# | Base (D) | Base (W) | Height | Fits Top Size | Color | Weight | Cube | Price |
|---------------|----------|----------|-------------|---------------|--------|--------|------|---------|
| MMLEGAHEL24B3 | 22" | 48"-72" | 23 1/2"-49" | 24"D-72"W | Black | 112 | 1 | \$2,295 |
| MMLEGAHEL24S3 | 22" | 48"-72" | 23 1/2"-49" | 24"D-72"W | Silver | 112 | 1 | \$2,295 |
| MMLEGAHEL24W3 | 22" | 48"-72" | 23 1/2"-49" | 24"D-72"W | White | 112 | 1 | \$2,295 |
| MMLEGAHEL30S3 | 28" | 48"-72" | 23 1/2"-49" | 30"D-72"W | Silver | 112 | 1 | \$2,295 |
| MMLEGAHEL30W3 | 28" | 48"-72" | 23 1/2"-49" | 30"D-72"W | White | 112 | 1 | \$2,295 |
| MMLEGAHEL30B3 | 28" | 48"-72" | 23 1/2"-49" | 30"D-72"W | Black | 112 | 1 | \$2,295 |


Does not include top. **3 stage base.** Bases ship unassembled unless otherwise specified.

15 LEAD TIME

| | |
|------------------------------|------------------------------|
| Handset | Push Button/4 memory presets |
| Motor | Triple motor |
| Foot Length | 28" |
| Height range (excluding top) | 23.5" - 49" |
| Frame width | Width adjustable 48" - 72" |
| Worksurface widths | 48" - 72" |
| Worksurface depths | 24" & 30" |
| Max lifting capacity | 300lbs. |
| Base Weight | 112lbs. |
| Speed | 33mm/s |
| Warranty | 5 years |

training tables

Bases, for Training Table Tops



T-Leg with Leveler (Set of 2 legs)

| Model# | Depth | Width | Height | Fits Top Size | Color | Weight | Cube | Price |
|------------|-------|--------|--------|---------------|--------|--------|------|---------|
| MMLEGTL20B | 20" | 2 1/4" | 28" | 20/24"D-72"W | Black | 23 | 4 | \$979 |
| MMLEGTL20S | 20" | 2 1/4" | 28" | 20/24"D-72"W | Silver | 23 | 4 | \$979 |
| MMLEGTL20W | 20" | 2 1/4" | 28" | 20/24"D-72"W | White | 23 | 4 | \$979 |
| MMLEGTL30B | 30" | 2 1/4" | 28" | 30/36"D-72"W | Black | 23 | 4 | \$1,051 |
| MMLEGTL30S | 30" | 2 1/4" | 28" | 30/36"D-72"W | Silver | 23 | 4 | \$1,051 |
| MMLEGTL30W | 30" | 2 1/4" | 28" | 30/36"D-72"W | White | 23 | 4 | \$1,051 |


Column diameter 2 1/4". Mounting plate 6"D x 8"W. Base Spread: 20"D is 20"W. 30"D is 26"W.
Stabilizer Bar: 1 is included with 60"W, 66"W & 72"W tops, when ordered with T-Legs.
Legs ship unassembled unless otherwise specified. **15** LEAD TIME



T-Leg with Casters (Set of 2 legs, locking casters)

| Model# | Depth | Width | Height | Fits Top Size | Color | Weight | Cube | Price |
|-------------|-------|--------|--------|---------------|--------|--------|------|---------|
| MMLEGTTC20B | 20" | 2 1/4" | 28" | 20/24"D-72"W | Black | 23 | 4 | \$998 |
| MMLEGTTC20S | 20" | 2 1/4" | 28" | 20/24"D-72"W | Silver | 23 | 4 | \$998 |
| MMLEGTTC20W | 20" | 2 1/4" | 28" | 20/24"D-72"W | White | 23 | 4 | \$998 |
| MMLEGTTC30B | 30" | 2 1/4" | 28" | 30/36"D-72"W | Black | 23 | 4 | \$1,071 |
| MMLEGTTC30S | 30" | 2 1/4" | 28" | 30/36"D-72"W | Silver | 23 | 4 | \$1,071 |
| MMLEGTTC30W | 30" | 2 1/4" | 28" | 30/36"D-72"W | White | 23 | 4 | \$1,071 |


Column diameter 2 1/4". Mounting plate 6"D x 8"W. Base Spread: 20"D is 20"W. 30"D is 26"W.
Stabilizer Bar: 1 is included with 60"W, 66"W & 72"W tops, when ordered with T-Legs.
Legs ship unassembled unless otherwise specified. **15** LEAD TIME



Flip Top Base with Leveler (Set of 2 legs)

| Model# | Depth | Width | Height | Fits Top Size | Color | Weight | Cube | Price |
|-------------|-------|--------|--------|---------------|--------|--------|------|---------|
| MMLEGTFL20B | 20" | 2 1/4" | 28" | 20/24"D-72"W | Black | 23 | 4 | \$1,292 |
| MMLEGTFL20S | 20" | 2 1/4" | 28" | 20/24"D-72"W | Silver | 23 | 4 | \$1,292 |
| MMLEGTFL20W | 20" | 2 1/4" | 28" | 20/24"D-72"W | White | 23 | 4 | \$1,292 |
| MMLEGTFL30B | 30" | 2 1/4" | 28" | 30/36"D-72"W | Black | 23 | 4 | \$1,339 |
| MMLEGTFL30S | 30" | 2 1/4" | 28" | 30/36"D-72"W | Silver | 23 | 4 | \$1,339 |
| MMLEGTFL30W | 30" | 2 1/4" | 28" | 30/36"D-72"W | White | 23 | 4 | \$1,339 |


Column diameter 2 1/4". Flip top mechanism is mechanically attached to the base.
Base Spread: 20"D is 20"W. 30"D is 26"W. Use with rectangular tops, see pp. 120-121.
Stabilizer Bar: 1 is included with 60"W, 66"W & 72"W tops, when ordered with Flip Top Base.
Base ship unassembled unless otherwise specified. **15** LEAD TIME



Flip Top Base with Casters (Set of 2 legs, locking casters)

| Model# | Depth | Width | Height | Fits Top Size | Color | Weight | Cube | Price |
|-------------|-------|--------|--------|---------------|--------|--------|------|---------|
| MMLEGTFC20B | 20" | 2 1/4" | 28" | 20/24"D-72"W | Black | 23 | 4 | \$1,359 |
| MMLEGTFC20S | 20" | 2 1/4" | 28" | 20/24"D-72"W | Silver | 23 | 4 | \$1,359 |
| MMLEGTFC20W | 20" | 2 1/4" | 28" | 20/24"D-72"W | White | 23 | 4 | \$1,359 |
| MMLEGTFC30B | 30" | 2 1/4" | 28" | 30/36"D-72"W | Black | 23 | 4 | \$1,407 |
| MMLEGTFC30S | 30" | 2 1/4" | 28" | 30/36"D-72"W | Silver | 23 | 4 | \$1,407 |
| MMLEGTFC30W | 30" | 2 1/4" | 28" | 30/36"D-72"W | White | 23 | 4 | \$1,407 |

Column diameter 2 1/4". Flip top mechanism is mechanically attached to the base.
Base Spread: 20"D is 20"W. 30"D is 26"W. Use with rectangular tops, see pp. 120-121.
Stabilizer Bar: 1 is included with 60"W, 66"W & 72"W tops, when ordered with Flip Top Base.
Base ship unassembled unless otherwise specified. **15** LEAD TIME




NOTE: All bases on this page, for heavy use on 60"W or wider tops, a second stabilizer bar is recommended, see p. 127 for sizes and pricing.

Hinged Modesty Panels Available for Bases Above, See p. 127.

training tables


Bases, for Training Table Tops



Arch T-Metal Base with Levelers (Set of 2 legs)

| Model# | Depth | Width | Height | Fits Top Depth | Color | Weight | Cube | Price |
|-------------|-------|-------|---------|----------------|--------|--------|------|---------|
| MMLEGATL22B | 22" | 2" | 27 3/4" | 20-24"D-72"W | Black | 23 | 4 | \$1,178 |
| MMLEGATL22S | 22" | 2" | 27 3/4" | 20-24"D-72"W | Silver | 23 | 4 | \$1,178 |
| MMLEGATL22W | 22" | 2" | 27 3/4" | 20-24"D-72"W | White | 23 | 4 | \$1,178 |
| MMLEGATL26B | 26" | 2" | 27 3/4" | 30-36"D-72"W | Black | 23 | 4 | \$1,205 |
| MMLEGATL26S | 26" | 2" | 27 3/4" | 30-36"D-72"W | Silver | 23 | 4 | \$1,205 |
| MMLEGATL26W | 26" | 2" | 27 3/4" | 30-36"D-72"W | White | 23 | 4 | \$1,205 |


Column diameter 2". Mounting plate 6"D x 8"W.
 Stabilizer Bar: 1 is included with 60"W, 66"W & 72"W tops, when ordered with T-Legs.
 Legs ship unassembled unless otherwise specified. Ⓛ LEAD TIME



Arch T-Metal Base with Casters (Set of 2 legs)

| Model# | Depth | Width | Height | Fits Top Depth | Color | Weight | Cube | Price |
|-------------|-------|-------|---------|----------------|--------|--------|------|---------|
| MMLEGATC22B | 22" | 2" | 27 3/4" | 20-24"D-72"W | Black | 23 | 4 | \$1,285 |
| MMLEGATC22S | 22" | 2" | 27 3/4" | 20-24"D-72"W | Silver | 23 | 4 | \$1,285 |
| MMLEGATC22W | 22" | 2" | 27 3/4" | 20-24"D-72"W | White | 23 | 4 | \$1,285 |
| MMLEGATC26B | 26" | 2" | 27 3/4" | 30-36"D-72"W | Black | 23 | 4 | \$1,325 |
| MMLEGATC26S | 26" | 2" | 27 3/4" | 30-36"D-72"W | Silver | 23 | 4 | \$1,325 |
| MMLEGATC26W | 26" | 2" | 27 3/4" | 30-36"D-72"W | White | 23 | 4 | \$1,325 |


Column diameter 2". Mounting plate 6"D x 8"W.
 Stabilizer Bar: 1 is included with 60"W, 66"W & 72"W tops, when ordered with T-Legs.
 Legs ship unassembled unless otherwise specified. Ⓛ LEAD TIME



Flip Top Arch T-Metal Base with Levelers (Set of 2 legs)

| Model# | Depth | Width | Height | Fits Top Depth | Color | Weight | Cube | Price |
|--------------|-------|-------|---------|----------------|--------|--------|------|---------|
| MMLEGATFL22B | 22" | 2" | 27 3/4" | 20-24"D-72"W | Black | 23 | 4 | \$2,072 |
| MMLEGATFL22S | 22" | 2" | 27 3/4" | 20-24"D-72"W | Silver | 23 | 4 | \$2,072 |
| MMLEGATFL22W | 22" | 2" | 27 3/4" | 20-24"D-72"W | White | 23 | 4 | \$2,072 |
| MMLEGATFL26B | 26" | 2" | 27 3/4" | 30-36"D-72"W | Black | 23 | 4 | \$2,112 |
| MMLEGATFL26S | 26" | 2" | 27 3/4" | 30-36"D-72"W | Silver | 23 | 4 | \$2,112 |
| MMLEGATFL26W | 26" | 2" | 27 3/4" | 30-36"D-72"W | White | 23 | 4 | \$2,112 |

Column diameter 2". Flip top mechanism is mechanically attached to the base.
 Use with rectangular tops, see pages 120-121.
 Stabilizer Bar: 1 is included with 60"W, 66"W & 72"W tops, when ordered with Flip Top Base.
 Base ship unassembled unless otherwise specified. Ⓛ LEAD TIME



Flip Top Arch T-Metal Base with Casters (Set of 2 legs)

| Model# | Depth | Width | Height | Fits Top Depth | Color | Weight | Cube | Price |
|--------------|-------|-------|---------|----------------|--------|--------|------|---------|
| MMLEGATFC22B | 22" | 2" | 27 3/4" | 20-24"D-72"W | Black | 23 | 4 | \$2,192 |
| MMLEGATFC22S | 22" | 2" | 27 3/4" | 20-24"D-72"W | Silver | 23 | 4 | \$2,192 |
| MMLEGATFC22W | 22" | 2" | 27 3/4" | 20-24"D-72"W | White | 23 | 4 | \$2,192 |
| MMLEGATFC26B | 26" | 2" | 27 3/4" | 30-36"D-72"W | Black | 23 | 4 | \$2,218 |
| MMLEGATFC26S | 26" | 2" | 27 3/4" | 30-36"D-72"W | Silver | 23 | 4 | \$2,218 |
| MMLEGATFC26W | 26" | 2" | 27 3/4" | 30-36"D-72"W | White | 23 | 4 | \$2,218 |

Column diameter 2". Flip top mechanism is mechanically attached to the base.
 Use with rectangular tops, see pages 120-121.
 Stabilizer Bar: 1 is included with 60"W, 66"W & 72"W tops, when ordered with Flip Top Base.
 Base ship unassembled unless otherwise specified. Ⓛ LEAD TIME




NOTE: All bases on this page, for heavy use on 60"W or wider tops, a second stabilizer bar is recommended, see p. 127 for sizes and pricing.

Hinged Modesty Panels Available for Bases Above, See p. 127.

training tables


Modesty Panels



Frosted Acrylic Hinged Modesty (3/8" thick. Black Clips)

| Model# | Depth | Width | Height | Clips | Top Width | Weight | Cube | Price |
|----------|-------|-------|---------|-------|-----------|--------|------|---------|
| MMTRAM54 | 3" | 41" | 13 1/2" | 2 | 54" | 10 | 2 | \$957 |
| MMTRAM60 | 3" | 47" | 13 1/2" | 2 | 60" | 11 | 2 | \$962 |
| MMTRAM66 | 3" | 53" | 13 1/2" | 3 | 66" | 12 | 2 | \$1,035 |
| MMTRAM72 | 3" | 59" | 13 1/2" | 3 | 72" | 13 | 2 | \$1,044 |


Designed to fit T-Legs and Flip Top Bases, see p. 126. Modesty recommended inset: 20"D & 24"D is flush, 30"D is inset 6". Depth and Height includes clips. Must be field installed.



TFM Hinged Modesty (3/4" thick. Black Clips)

| Model# | Depth | Width | Height | Clips | Top Width | Weight | Cube | Price |
|----------|-------|-------|---------|-------|-----------|--------|------|-------|
| MMTRWM54 | 3" | 41" | 13 1/2" | 2 | 54" | 10 | 2 | \$312 |
| MMTRWM60 | 3" | 47" | 13 1/2" | 2 | 60" | 11 | 2 | \$335 |
| MMTRWM66 | 3" | 53" | 13 1/2" | 3 | 66" | 12 | 2 | \$412 |
| MMTRWM72 | 3" | 59" | 13 1/2" | 3 | 72" | 13 | 2 | \$412 |

Designed to fit T-Legs and Flip Top Bases, see p. 126. Modesty recommended inset: 20"D & 24"D is flush, 30"D is inset 6". Depth and Height includes clips. Must be field installed.



TFM Modesty (3/4" thick. Three vertical supports)


| Model# | Depth | Width | Height | Top Width | Weight | Cube | Price |
|----------|-------|-------|--------|-----------|--------|------|-------|
| APPSLW54 | 4" | 47" | 12" | 54" | 15 | 2 | \$148 |
| APPSLW60 | 4" | 53" | 12" | 60" | 16 | 2 | \$170 |
| APPSLW66 | 4" | 59" | 12" | 66" | 18 | 2 | \$181 |
| APPSLW72 | 4" | 65" | 12" | 72" | 19 | 2 | \$181 |

Ships with brackets for field installed. Tops are not predrilled.

NOTE: Modesty panel standard location is center left to right to approach side undertops. For custom location must specify, add MMCUT3 \$218.

Accessories and Upgrades

MMGANG3



Ganging Hardware (For use with factory-installed metal inserts)

| Model# | Depth | Width | Height | Hardware | Weight | Cube | Price |
|---------|-------|-------|--------|----------|--------|------|-------|
| MMGANG3 | 4" | 6" | 1/4" | Ganging | 1 | 1 | \$50 |


MMGANG3: (1) Bracket & (4) Knobs. Recommended when placing tops side by side.



Grommet

| Model# | Depth | Width | Color | Surface Hole Diameter | Price |
|----------|-------|-------|----------------|-----------------------|-------|
| MMGR234B | 3" | 3" | Black Plastic | 2 3/4" | \$68 |
| MMGR234S | 3" | 3" | Silver Plastic | 2 3/4" | \$68 |

Specify grommet locations. Standard left, right or center, see page 119 for standard location.



Stabilizer Bar, Black

| Model# | Depth | Width | Height | Fits Top | Weight | Cube | Price |
|--------|-------|-------|--------|----------|--------|------|-------|
| MMSB60 | 2" | 44" | 2" | 60"W | 6 | 1 | \$145 |
| MMSB66 | 2" | 50" | 2" | 66"W | 7 | 1 | \$156 |
| MMSB72 | 2" | 56" | 2" | 72"W | 8 | 1 | \$169 |

May be purchased separately.
2 Stabilizer bars are included with 60"W, 66"W & 72"W tops, when purchased with top and post legs.